

RTR / ITR / TR



Performance features

» For automatic regulating of ventilation controllers

» Temperature or time-controlled automatic

RTR 231	30.902.20
	10
	₹ 5 æ
	25
	D·HE

Туре

Description

Art. No.

Room temperature control

Ear automatically controlling ventilation flans

- For automatically controlling ventilation flaps in conjunction with 230 V AC ventilation drives
- » Surface-mounted design
- » For 24 V DC and 230 V AC systems

Input voltage	230 V AC
Type of protection	IP 30
Temperature range	5 °C 30 °C
Housing	Plastic
Colour	White
WxHxD	78 x 83 x 28 mm
Weight	0.10 kg

Туре		
ITR 79		

Art. No.

Description

Technical data

Technical data

64.800.03 Temperature regulator with external sensor

- » With isolated toggle
- Larger control panel housings are required for installation in compact or modular GVL-K, GVL-M or RZN-K, RZN-M control panels
- » Can be used on site using surface-mounted housing GEH-TR02
- » Adjustable operating range from -10 °C ... +40 °C, operating differential 0.5 ... 5 K
- » Optional with wall-mounted, external or suspended sensor

Input voltage	230 V AC
Housing	Plastic
Colour	Grey
WxHxD	35 x 86 x 61 mm
Weight	0.21 kg



Туре

Art. No.

Description

1-channel timer

Technical data

 $W \times H \times D$

Weight

TR 608

64.801.28

Requirements-hased program

- Requirements-based programming option, e.g. end of workday CLOSED (Mon.-Thu. 6:00 p.m. CLOSED, Fri. 3:00 p.m. CLOSED)
- » Larger control panel housings are required for installation in compact or modular GVL-K, GVL-M or RZN-K, RZN-M control panels
- » Can be used on site using surface-mounted housing GEH-TR02



Input voltage	230 V AC
Housing	Plastic
Colour	Grev

0.16 kg

Version 01/2020

17.9 x 65.5 x 85.5 mm

Controller Series Automatic controllers

63.600.88



Туре Art. No. Description Technical data

Surface-mounted housing for ITR and TR



GEH-TR02

» For surface-mounted installation of supporting rail modules

>>	\/\/ith	viewing	WINDOW
//	VVILII	VIEVVIIII	vviiiuov

Housing	Plastic
Colour	Light grey
WxHxD	150 x 80 x 98 mm
Weight	0.20 kg